Notice of Allowability	Application No.	Applicant(s)
	10/540,874	NAKAYOSHI ET AL.
	Examiner	Art Unit
	Leah S. Loveli	2885
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 28 February 2007.		
2. X The allowed claim(s) is/are <u>1-24</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ul>		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	·	
Attachment(s)  1.  Notice of References Cited (PTO-892)	5. ☐ Notice of Informal Pa	atent Application
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Date 7. ☐ Examiner's Amendm	
Paper No./Mail Date 7 May 2007  4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material .	9.	

Application/Control Number: 10/540,874 Page 2

Art Unit: 2885

## **DETAILED ACTION**

## Response to Arguments

1. Applicant's arguments, see page 11, filed 28 February 2007, with respect to the objection against claims 2 and 14-24 as being the same as claims 1 and 3-13 have been fully considered and are persuasive. The objection of 30 November 2006 has been withdrawn.

2. Applicant's arguments, see arguments starting on page 12, filed 28 February 2007, with respect to the rejection of claims 1-4, 12, 14, 15 and 23 have been fully considered and are persuasive. The rejection of 30 November 2006 has been withdrawn.

## Allowable Subject Matter

3. Claims 1-24 are allowed. Prior art fails to disclose or render obvious a backlight of a liquid crystal display having a frame with a light guide plate and flexible circuit board having a plurality of light sources attached on one side and erected parts on the other disposed in the frame wherein the flexible circuit board is arranged such that the light sources are biased against the light incident face of the light guide plate by the frame and the erected parts directly contact the frame and, furthermore, the light guide panel directly contacts the frame on the face opposite to the light incident face

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leah S. Lovell whose telephone number is (571) 272-

Art Unit: 2885

2719. The examiner can normally be reached on Monday through Friday 7:45 a.m. until 4:15 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jong-Suk (James) Lee can be reached on (571) 272-7044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Leah Lovell Examiner 1 May 2007

